

JWT - Bug #1047

WTextEdit. NullPointerException in 2nd rendering phase

11/03/2011 02:06 PM - Thim Anneessens

Status:	InProgress	Start date:	11/03/2011
Priority:	Low	Due date:	
Assignee:	Pieter Libin	% Done:	0%
Category:		Estimated time:	0.50 hour
Target version:			
Description			
Hello it is quite difficult to debug when errors are thrown in the second rendering phase.			
I had the problem with WTextEdit. Apparently setText() has a preconditions: text must not be null. This is however not document and not checked. Could you add the checking on set?			
Best regards,			
Thim.			

History

#1 - 11/03/2011 02:07 PM - Thim Anneessens

Here is the stack trace that I had:

```
java.lang.NullPointerException
at eu.webtoolkit.jwt.StringUtils.sanitizeUnicode(StringUtils.java:297)
at eu.webtoolkit.jwt.WWebWidget.escapeText(WWebWidget.java:811)
at eu.webtoolkit.jwt.WWebWidget.escapeText(WWebWidget.java:823)
at eu.webtoolkit.jwt.WTextArea.updateDom(WTextArea.java:244)
at eu.webtoolkit.jwt.WTextEdit.updateDom(WTextEdit.java:250)
at eu.webtoolkit.jwt.WWebWidget.createDomElement(WWebWidget.java:719)
at eu.webtoolkit.jwt.WWebWidget.createActualElement(WWebWidget.java:755)
at eu.webtoolkit.jwt.WWidget.createSDomElement(WWidget.java:1306)
....
```

#2 - 11/23/2011 01:11 PM - Pieter Libin

- Status changed from New to InProgress

- Assignee set to Pieter Libin

#3 - 11/23/2011 01:18 PM - Pieter Libin

We will check for each String argument that is passed to the public API that it is not null.