

## JWT - Feature #2583

**WTableView is not refreshed after clear() if create in the constructor and not init - see example (not sure if it is really a bug)**

01/21/2014 11:21 AM - Michael Vilsker

<b>Status:</b>	New	<b>Start date:</b>	01/21/2014
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b>			
<pre>public class AppTableWidget extends FormView{ private WTableView t = new WTableView(); private WPushButton b = new WPushButton(); private WPushButton c = new WPushButton(); public AppTableWidget(){ super(tr("test"), null); init(); } private void init(){ clear(); bindWidget("t", t); // t will not work b will work. bindWidget("c", c); c.clicked().addListener(this, new Signal.Listener() { @Override public void trigger() { init(); } }); } } \${t}\${c}</pre>			

## History

### #1 - 01/21/2014 11:22 AM - Michael Vilsker

Michael Vilsker wrote:

```
> public class AppTableWidget extends FormView{
>
>     private WTableView t = new WTableView();
>     private WPushButton b = new WPushButton();
>     private WPushButton c = new WPushButton();
```

