

Wt - Bug #3411

WTabWidget expose setOverflow of implementing WContainerWidget?

07/01/2014 12:52 PM - Stefan Ruppert

Status:	Closed	Start date:	07/01/2014
Priority:	Normal	Due date:	
Assignee:	Benoit Daccache	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	3.3.4		

Description

Hi,

I have a WTabWidget which should hide its tabs if the width gets to small for all tabs. Currently I have implemented the following workaround by subclassing WTabWidget as follows:

```
class ToolBarTab : public WTabWidget
{
public:
    ToolBarTab()
        : WTabWidget()
    {
        dynamic_cast<WContainerWidget*>(implementation())->setOverflow(WContainerWidget::OverflowHidden, Vertical);
    }
};
```

Regards,
Stefan

History

#1 - 10/15/2014 08:32 PM - Koen Deforche

- Status changed from New to InProgress
- Assignee set to Korneel Dumon
- Target version set to 3.3.4

Add WTabWidget::setOverflow()

#2 - 10/20/2014 10:13 AM - Koen Deforche

- Assignee changed from Korneel Dumon to Pavel Sopher

#3 - 03/06/2015 01:53 PM - Koen Deforche

- Assignee changed from Pavel Sopher to Benoit Daccache

#4 - 03/06/2015 04:03 PM - Benoit Daccache

- Status changed from InProgress to Resolved

#5 - 03/17/2015 08:18 AM - Koen Deforche

- Status changed from Resolved to Closed